


Discover DCI's

Power Optic System

Any power, any light, any time!



**Innovative
Design!**

DCI's most versatile power optic system allows you to easily replace or install a new system in the field.

DCI

Discover DCI's Power Optic System

Any power, any light, any time!

NEW!

3 HP Light Source System



Can connect to a wide range of existing power supplies

Input voltage from 7-24 V AC or DC



Extended bulb life

Voltage slowly ramps up to extend the life of the bulb



Instant-on setting for LED Bulbs

Instant on or multiple delay settings

Program Selector

Custom programs to control delay time and input signal type

PN 8311

9 Preset Output Voltages
2.6V to 5.5V

No meter required!

Flexible Light Activation

Activate light with the holder, foot control or a combination of both!

Single HP Power Optic System

Features:

- Single system powers any handpiece (2.5V - 4.2V at 1.2 Amp)
- Compact size: 3" x 1" x 1"
- Flexible input voltage allows for easy connection to existing power supplies (7.5V-9V either AC or DC)



PN 8313

Integrated adjustable voltage regulator

Handpiece Bulbs

Halogen Bulbs



Replacement
Kavo Bulb
PN 9362



Replacement
A-dec® Bulb
PN 9363



Replacement
A-dec®/W&H Bulb
PN 9361



Replacement
Midwest Bulb
PN 9360



**Lamp Module
RED Gasket**
PN 8813



**Lamp Module
BLACK Gasket**
PN 8773

A-dec® is a registered trademark of A-dec, Inc. DCI has no affiliation with A-dec and A-dec has not authorized DCI replacement parts to be used on or in connection with A-dec® products.

LED Bulbs



Replacement
**Kavo
LED Bulb**
PN 9372



Replacement
**Bien-Air
LED Bulb**
PN 9374



Replacement
**Sirona
LED Bulb**
PN 9373



TECH TIPS

Installing an LED bulb that won't work?

It might be installed backwards. Rotate 180° and re-test.

Don't touch halogen bulbs with bare hands.

The oil from your hand creates a hot spot and shortens the life of the bulb.

Find more Tech Tips on our website:

DCI

www.dcionline.com

DCI Power Optic Tubing



ISO-C 5-Hole Power Optic Handpiece Tubing

- Requires lamp module 8813 (not included)



ISO-C 6-Pin Power Optic Handpiece Tubing


- Six-pin connector for ISO-C handpiece

Now comes standard w/
METAL NUT!

Tubing shown is gray, 7' length. Contact DCI customer service for other colors and lengths available.



Call us or visit our website today!
1-800-624-2793 | www.dcionline.com



DCI Power Optic Order Guide

PN	Description	Retail Price
Deluxe 3 HP Light Source System		
8353	System w/ Transformer	\$422.00
8311	System Only	\$385.00
Single HP Light Source System		
8404	System w/ Transformer	\$122.00
8313	System Only	\$85.00
Transformer for Deluxe & Single Circuit Power Pack		
9358	120V to 9VDC. 2.2AMPS	\$42.00
9359	230 VAC 50/60 HZ to 9VDC. 2.2AMPS	\$62.00
5-Hole Lamp Module		
8813	Lamp module RED gasket for use w/ power optic tubings w/ ISO-C	\$68.00
8773	Lamp module BLACK gasket (old style) for use w/ older system 6000 and DCI equipment tubings w/ ISO-B	\$68.00
Metal Terminal Nuts		
8815	Terminal Nut, Short for ISO-C tubing	\$46.40
8814	Terminal Nut, Long for use with lamp module 8813	\$46.40
ISO-C 5-Hole Power Optic Handpiece Tubing (7' Gray)		
8933	Requires lamp module 8813 (not included)	\$173.10
ISO-C 6-Pin Power Optic Handpiece Tubing (7' Gray)		
8996	Six-pin connector for ISO-C handpiece	\$173.10

Look inside for product details!

